Concept Roller Grills





Roller grills concept

ROLLER GRILLS / ROLLER GRILLS

Les grills à rouleaux Roller Grill maintiennent à température jusqu'à 20 saucisses précuites, soit 96 hot-dogs à l'heure! Un rendement optimal grâce à une puissance de 125 W par rouleau. Les rouleaux chromés facilitent l'entretien et garantissent une meilleure longévité. Longueur des rouleaux : 40 cm.

Équipement: interrupteur marche/arrêt, doseur d'énergie, voyant de contrôle, moteur haute performance. Plat ramasse-jus amovible.

Grands modèles à 2 zones de chauffe avec commande indépendante, mêmes caractéristiques techniques que ci-dessus.

These roller grills keep up to 20 pre-cooked sausages warm, i.e. 96 hot dogs per hour! Optimal output thanks to 125 W power per roll. Chrome-plated rolls ensure easy cleaning and durability. Length of the rolls: 40 cm.

Features: on/off switch, power control system, pilot light, heavy duty motor. Removable juice tray

The larger models have twin heating zones with independent control. Same technical features as above.

CHAUFFE BUN CB 20 / BUN WARMER CB 20

À placer sous le grill à rouleaux pour un gain de place et une meilleure rentabilité, le chauffe bun GN 2/3 maintient à température les petits pains à hot-dog. Contrôle d'humidité. Entretien facile: tiroir amovible et bac GN lavable en machine.

Équipement: doseur d'énergie, contrôle d'humidité, voyant de contrôle.

Option: pare-haleine H01077SE (580 x 450 x 250 mm) pour tout RG Roller Grill. Porte arrière relevable pour le service.

Place the bun warmer CB 20 underneath your roller grill to save space and for a better efficiency! This bun warmer GN 2/3 keeps the buns warm to make hot and soft hot dogs. Humidity control. Easy cleaning: the drawer can be removed and the GN container can be washed in a dishwasher.

Features: humidity and temperature control. Pilot light.

Option: protection H01077SE (580 x 450 x 250 mm) for every Roller Grill RG. Liftable rear door for service.



RG 7 + CB 20 + Pare-haleine / Protection H01077SE



96 hot-dogs / h

Ref.	Puissance Power	Dimensions hors tout Outside dimensions	Poids Weight	Volts <i>Volts</i>
RG 5	0,6 kW	545 x 320 x 240 mm	13 kg	230 V
RG 7	0,9 kW	545 x 320 x 240 mm	14 kg	230 V
CB 20	0,7 kW	545 x 460 x 220 mm	17 kg	230 V